



PSB Producción Vegetal

Buffat's Genetics

Catalog

Innovating today, cultivating the future



Nectarine | Flat nectarine | Peach | Flat peach | Apricot | Plum

INNOVATING TODAY, CULTIVATING THE FUTURE

PSB Producción Vegetal: Pioneers in stone fruit breeding innovation

Founded in 1989 in the Murcia region, in southeastern Spain, PSB Producción Vegetal is a family-owned company specialized in the **development and improvement** of stone fruit varieties. We have introduced innovations in peaches, apricots, nectarines, flat nectarines, and flat peaches, and in recent years we have expanded our expertise to plums and cherries.

Our mission

We develop innovative varieties that combine **outstanding flavor, ease of yield, and adaptability to market demands**. Our goal is to address the major current and future challenges: climate change, production difficulties, and the growing consumer demand, **offering healthier and more sustainable fruits** with reduced use of plant protection products.

Research and Development

Innovation lies at the heart of our activity. We continuously improve key traits such as flavor, color, size, productivity, ripening period, **climate adaptability, and disease resistance**. Thanks to our experimental orchards in Spain and France, as well as trials in various regions worldwide, **we offer varieties adapted to multiple growing conditions** while always respecting local characteristics.

Our team

The success of PSB is built on **a team of passionate professionals** who work daily to deliver varieties that satisfy both producers and consumers.

40 000
New hybrids per year



75ha
Of hybrids and trials



130
Patented varieties



INDEX

APRICOT	4	CLINGSTONE PEACH	25	VAHINE-cov(5904-21)	47
CALENDAR	5	CALENDAR	25	TIFANY-cov(4050-1)	47
BORSALINO-cov(TC11-170)	5	PALOMBAGGIA-cov(HA167-2)	26	ALEGORIA-cov(BN1118-11)	47
NESTOR-cov(TJ68-37)	5	TN411-8-cov	26	BN1118-68-cov	48
THEO-cov(TJ67-104)	6	BN774-8-cov	26	CHUBBY-cov(BN1118-24)	48
TC166-165-cov	6	MYMOSA-cov(TN473-9)	26	CN600-2-cov	48
DOMINO-cov(S36-29)	6	YELLOW FLESH FLAT PEACH	27	SIDONIA-cov(BN944-4)	48
O'SOLEMIO-cov(TC104-25)	6	CALENDAR	28	NECTAGOLD	49
LIDO-cov(2147-25)	7	ESPIRAL-cov(BN45-2)	28	CALENDAR	49
TITUS-cov(L32-9)	7	KIWANI-cov(5607-6)	28	DAYTONA-cov(TN379-10)	50
ARISTO-cov(A07-1-207)	7	DIVADONA-cov(5544-54)	29	TN379-6-cov	50
BALTAZAR-cov(TJ67-89)	7	AC556-2-cov	29	BN1004-1-cov	50
NELSON-cov(T56K-2)	8	OSIRIS-cov(HA555-3)	29	BN1002-26-cov	50
GASPAR-cov(LAR2174-73)	8	5911-10-cov	29	BN1003-5-cov	51
MADRIGAL-cov(LAR2124-229)	8			GOLDYGA-cov(BN1002-25)	51
AGOSTINO-cov(LAR2164-65)	8			5889-120-cov	51
RED APRICOT	9	CALENDAR	30-31	BN1003-7-cov	51
CALENDAR	10	WHITE FLESH FLAT PEACH	33	BLOOD NECTARINE	52
MARCELINO-cov(BA87-11)	10	CALENDAR	34	CALENDAR	52
FUEGO-cov(P52-106)	10	BORA BORA-cov(DN334-4)	34	CN295-1-cov	53
BOLERO-cov(HB278-104)	11	ZODIAC-cov(5607-5)	34	BN1117-17-cov	53
TC237-18-cov	11	SAMANTHA-cov(HA555-45)	35	BN1117-11-cov	53
OTELLO-cov(FAV149-10)	11	CONTESSA-cov(HA544-18)	35	DIABLOTINA-cov(DOR9-1)	53
PLUM	12	BABYLONE-cov(AC552-2)	35	FLAT NECTARINE	54
CALENDAR	13	MARQUESA-cov(AC601-9)	35	CALENDAR	55
CR7-53-cov	13	KALDONIA-cov(BU1-190)	36	LUISELLA-cov(5544-58)	55
ROSSAMOR-cov(BA86-34)	13	CARAMBA-cov(B426-5)	36	USHUAYA-cov(CN158-11)	55
MONTECARLA-cov(CR20-1)	14	KARAIË-cov(BN1-360)	36	HONOLULU-cov(CN158-32)	56
CR19-14-cov	14	CYCLADE-cov(BP171-4)	36	DOOLY-cov(CN128-16)	56
CR18-19-cov	14	FILOE-cov(5927-3)	37	ANAKIN-cov(AC459-25)	56
BA91-16-cov	14	KALISTA-cov(BP171-33)	37	BACHATA-cov(CN64-1)	56
ORELYS-cov(STRATI-4)	15	YELLOW FLESH NECTARINE	38	EP001-9-cov	57
PALLATINA-cov(K321-75)	15	CALENDAR	39	TINTOSA-cov(CN239-49)	57
CR43-9-cov	15	NEROLIS-cov(TN272-43)	39	SOLSTYS-cov(EP13-25)	57
AZULIS-cov(CR45-4)	15	COPACABANA-cov(5709-11)	39	EP13-9-cov	57
CA584-30-cov	16	IPANEMA-cov(5709-24)	40	DIOSA-cov(BP171-22)	58
BA345-5-cov	16	TRINITY-cov(CN120-10)	40	ZENDAYA-cov(DN458-3)	58
YELLOW FLESH PEACH	17	CARACAS-cov(5710-48)	40	YSATIS-cov(BP171-5)	58
CALENDAR	18	ORIGAMI-cov(TN344-52)	40	EP14-19-cov	58
KITTY-cov(BN600-1)	18	ATANAIS-cov(5661-26)	41	EP001-3-cov	59
POMPADOUR-cov(K202-6)	18	MATISS-cov(5661-56)	41	CANOPPE-cov(CN591-2)	59
NICOSY-cov(5560-3)	19	CLARISS-cov(4052-22)	41	COOKIE-cov(CN592-12)	59
VERACRUZ-cov(BN366-1)	19	SUCULENTE MARI-cov(5785-3)	41		
PAMPANA-cov(K313-26)	19	NEFERTITI-cov(BN950-6)	42		
SOLEDORA-cov(5610-1)	19	5549-96-cov	42		
CHARLOTTE-cov(BN928-7)	20	TAHITI-cov(BN931-16)	42		
TAONUÍ-cov(BN993-5)	20	KINOLEA-cov(4052-15)	42		
ODYSEE-cov(BN1106-11)	20	HAWAÏ-cov(BN1118-28)	43		
BN1112-6-cov	20	TENERIF-cov(BN1097-20)	43		
WHITE FLESH PEACH	21	BN1066-1-cov	43		
CALENDAR	22	BN1043-1-cov	43		
MADRAS-cov(BN313-15)	22	WHITE FLESH NECTARINE	44		
AMANDINA-cov(T191-1)	22	CALENDAR	45		
MARMARA-cov(5746-17)	23	DIAMENTINA-cov(5235-2)	45		
PAMELA-cov(B407-2)	23	FLAVANA-cov(N2-24)	45		
MAREVA-cov(K313-24)	23	ALTAMIRA-cov(5710-50)	46		
BN610-13-cov	23	BOREAL-cov(T333-31)	46		
ALABAMA-cov(5888-25)	24	AMAPOLA-cov(5829-22)	46		
MELISSA-cov(HA693-1)	24	BN861-26-cov	46		
FABULISA-cov(BN927-8)	24	CALICOPA-cov(5635-31)	47		
BN927-4-cov	24				

All data have been collected by PSB Producción Vegetal S.L. at its experimental farms in Pliego (Murcia, Spain) for early varieties, in Algerri (Lleida, Spain) for mid-season varieties, and in Sauzet (Drôme, France) for late varieties. The data presented are indicative for the year 2024 and may vary depending on growing conditions, location, and orchard management practices. All varieties are subject to a pending application with the CPVO. Any reproduction, multiplication, or distribution is strictly prohibited without prior consent from PSB Producción Vegetal, the rights holder.

All varieties presented in this catalog have been developed by PSB Producción Vegetal.



APRICOT CALENDAR

APRIL		MAY					JUNE					JULY					AUGUST					SEPTEMBER				
20	25	5	10	15	20	25	5	10	15	20	25	5	10	15	20	25	5	10	15	20	25	5	10	15	20	25
S	A	BORSALINO-cov TC11-170																								
			S	A	NESTOR-cov TJ68-37																					
					COLORADO-cov 435-15																					
				A	THEO-cov TJ67-104																					
				A	TC166-165-cov																					
			S	A	DOMINO-cov S36-29																					
				S	A	FLOPRIA-cov A35-109																				
					S	A	O'SOLEMIO-cov TC104-25																			
							A	LIDO-cov 2147-25																		
								S	A	TITUS-cov L32-9																
									A	ARISTO-cov A07-1-207																
										A	KALAO-cov 2135-114															
										S	A	BALTAZAR-cov TJ67-89														
												FARALIA-cov Reference														
										S	A	NELSON-cov T56K-2														
											A	MILORD-cov 2084-26														
											S	A	GASPAR-cov LAR2174-73													
													FARBALY-cov Reference													
													S	A	MADRIGAL-cov LAR2124-229											
																	FARLIS-cov Reference									
																	S	A	AGOSTINO-cov LAR2164-65							

A SELF-FERTILE S SHARKA TOLERANCE

BORSALINO-cov (TC11-170)

CPVO patent	BORSALINO-cov CEE N° 2020/2652
CHARACTERISTICS	
Ripening period	Colorado-cov -15 days
Flowering period	Colorado-cov -25 days
Flower abundance	High
Yield	High
Tree	Medium vigor, semi-open
Self-fertility	Yes

FRUIT

Shape	Round
Firmness	Firm
Fruit cracking	No
Color	Orange with blush
Size	A-AA
Flavor	Good



NESTOR-cov (TJ68-37)

CPVO patent	NESTOR-cov CEE N° 2018/2719
CHARACTERISTICS	
Ripening period	Colorado-cov period
Flowering period	Colorado-cov +5 days
Flower abundance	High
Yield	High
Tree	Strong vigor, semi-upright
Self-fertility	Yes

FRUIT

Shape	Oval
Firmness	Firm
Fruit cracking	No
Color	Orange with blush
Size	A-AA
Flavor	Good



NEW

THEO-cov (TJ67-104)

CPVO patent THEO-cov CEE N° 2023/2228

CHARACTERISTICS



Ripening period	Colorado-cov +5 days
Flowering period	Flopria-cov period
Flower abundance	High
Yield	High
Tree	Strong vigor, semi-open
Self-fertility	Yes

FRUIT

Shape	Round, Oval
Firmness	Very firm
Fruit cracking	No
Color	Bright orange with blush
Size	AA-AAA
Flavor	Good, balanced



NEW

TC166-165-cov

CPVO patent TC166-165-cov

CHARACTERISTICS



Ripening period	Colorado +5 days
Flowering period	Colorado -5 days
Flower abundance	Medium
Yield	High
Tree	Strong vigor, semi-open
Self-fertility	Yes

FRUIT

Shape	Round
Firmness	Very firm
Fruit cracking	No
Color	Orange with blush
Size	AA
Flavor	Good, sweet



NEW

DOMINO-cov (S36-29)

CPVO patent DOMINO-cov CEE N° 2016/2614

CHARACTERISTICS



Ripening period	Flopria-cov -10 days
Flowering period	Flopria-cov period
Flower abundance	High
Yield	High
Tree	Medium vigor, semi-open
Self-fertility	Yes

FRUIT

Shape	Round, Oval
Firmness	Very firm
Fruit cracking	Very low
Color	Bright orange with red blush
Size	AA
Flavor	Good



O'SOLEMIO-cov (TC104-25)

CPVO patent O'SOLEMIO-cov CEE N° 2024/2531

CHARACTERISTICS



Ripening period	Flopria-cov +5 days
Flowering period	Flopria-cov period
Flower abundance	Medium
Yield	Medium
Tree	Strong vigor, semi-open
Self-fertility	Yes

FRUIT

Shape	Round
Firmness	Very firm
Fruit cracking	Very low
Color	Orange with blush
Size	AA
Flavor	Very good, aromatic



//APRICOT

LIDO-cov (2147-25)

CPVO patent LIDO-cov CEE N° 2012/2222

CHARACTERISTICS



Ripening period	Flopria-cov +10 days
Flowering period	Flopria-cov +10 days
Flower abundance	High
Yield	High
Tree	Strong vigor, semi-open
Self-fertility	Yes

FRUIT

Shape	Oval
Firmness	Very firm
Fruit cracking	No
Color	Orange background with strong blush
Size	AA
Flavor	Very good, aromatic



ARISTO-cov (A07-1-207)

CPVO patent ARISTO-cov CEE N° 2016/2618

CHARACTERISTICS



Ripening period	Bergeron period
Flowering period	Flopria-cov +15 days
Flower abundance	High
Yield	High
Tree	Strong vigor, semi-open
Self-fertility	Yes

FRUIT

Shape	Round, Oval
Firmness	Very firm
Fruit cracking	Very low
Color	Orange background with strong blush
Size	AA-AAA
Flavor	Very good, sweet



//APRICOT

TITUS-cov (L32-9)

CPVO patent TITUS-cov CEE N° 2023/2222

CHARACTERISTICS



Ripening period	Flopria-cov +20 days
Flowering period	Flopria-cov +10 days
Flower abundance	High
Yield	High
Tree	Strong vigor, semi-open
Self-fertility	Yes

FRUIT

Shape	Round
Firmness	Firm
Fruit cracking	No
Color	Orange background with strong blush
Size	AA-AAA
Flavor	Very good, sweet



BALTAZAR-cov (TJ67-89)

CPVO patent BALTAZAR-cov CEE N° 2021/2713

CHARACTERISTICS



Ripening period	Bergeron +5 days
Flowering period	Flopria-cov period
Flower abundance	High
Yield	High
Tree	Strong vigor, semi-open
Self-fertility	Yes

FRUIT

Shape	Round, Oval
Firmness	Very firm
Fruit cracking	No
Color	Orange with blush, very bright
Size	AA-AAA
Flavor	Very good, sweet and aromatic



NELSON-cov (T56K-2)

CPVO patent	NELSON-cov CEE N° 2016/2619
CHARACTERISTICS  	
Ripening period	Milord-cov -5 days
Flowering period	Flopria-cov +10 days
Flower abundance	High
Yield	Very high
Tree	Strong vigor, semi-open
Self-fertility	Yes

FRUIT	
Shape	Oblong, flat
Firmness	Very firm
Fruit cracking	Very low
Color	Intense orange background with blush
Size	AA-AAA
Flavor	Very good, sweet and aromatic



MADRIGAL-cov (LAR2124-229)

CPVO patent	MADRIGAL-cov CEE N° 2018/2667
CHARACTERISTICS  	
Ripening period	Farbaly-cov +10 days
Flowering period	Flopria-cov +10 days
Flower abundance	High
Yield	High
Tree	Strong vigor, semi-open
Self-fertility	Yes

FRUIT	
Shape	Oval
Firmness	Very firm
Fruit cracking	No
Color	Orange background with strong blush
Size	AA-AAA
Flavor	Very good, sweet and aromatic



GASPAR-cov (LAR2174-73)

CPVO patent	GASPAR-cov CEE N° 2021/2714
CHARACTERISTICS  	
Ripening period	Farbaly-cov period
Flowering period	Flopria-cov +5 days
Flower abundance	High
Yield	High
Tree	Strong vigor, semi-open
Self-fertility	Yes

FRUIT	
Shape	Round
Firmness	Very firm
Fruit cracking	Low
Color	Intense orange background with blush
Size	AA
Flavor	Very good, sweet, juicy, aromatic



AGOSTINO-cov (LAR2164-65)

CPVO patent	AGOSTINO-cov CEE N° 2018/2668
CHARACTERISTICS  	
Ripening period	Farlis-cov +10 days
Flowering period	Flopria-cov +10 days
Flower abundance	High
Yield	High
Tree	Strong vigor, semi-open
Self-fertility	Yes

FRUIT	
Shape	Round
Firmness	Very firm
Fruit cracking	No
Color	Intense orange background with blush
Size	AA
Flavor	Very good, sweet, juicy, aromatic



RED APRICOT

RED APRICOT CALENDAR

APRIL		MAY					JUNE					JULY					AUGUST					SEPTEMBER				
20	25	5	10	15	20	25	5	10	15	20	25	5	10	15	20	25	5	10	15	20	25	5	10	15	20	25
			A	MARCELINO-cov	BA87-11																					
				FUEGO-cov	P52-106																					
			S	A	BOLERO-cov	HB278-104																				
				A	TC237-18-cov																					
																	A	OTELÓ-cov	FAV149-10							

A SELF-FERTILE **S SHARKA TOLERANCE**



NEW

MARCELINO-cov (BA87-11)

CPVO patent MARCELINO-cov CEE Nº 2023/2226

CHARACTERISTICS

Ripening period	Flopria-cov -10 days
Flowering period	Flopria-cov period
Flower abundance	High
Yield	High
Tree	Strong vigor, semi-open
Self-fertility	Yes

FRUIT

Shape	Round, Oval
Firmness	Very firm
Fruit cracking	No
Color	Dark red, lilac
Size	AA
Flavor	Very sweet



FUEGO-cov (P52-106)

CPVO patent FUEGO-cov CEE N° 2012/2230

CHARACTERISTICS

Ripening period	Flopria-cov -5 days
Flowering period	Flopria-cov period
Flower abundance	High
Yield	High
Tree	Strong vigor, semi-upright
Self-fertility	No, pollinators: Flopria-cov, Cirano-cov, Cheyenne-cov

FRUIT

Shape	Round, oblong
Firmness	Very firm
Fruit cracking	No
Color	Red
Size	AA-AAA
Flavor	Very good, sweet, aromatic



```
//RED APRICOT
```

BOLERO-cov (HB278-104)

CPVO patent BOLERO-cov CEE N° 2016/2617

CHARACTERISTICS

Ripening period	Flopria-cov +10 days
Flowering period	Flopria-cov +5 days
Flower abundance	High
Yield	High
Tree	Strong vigor, semi-upright
Self-fertility	Yes

FRUIT

Shape	Oval, oblong
Firmness	Firm
Fruit cracking	No
Color	Red
Size	AA-AAA
Flavor	Very good, sweet, aromatic



OTELO-cov (FAV149-10)

CPVO patent OTELO-cov CEE N° 2023/2224

CHARACTERISTICS

Ripening period	Milord-cov period
Flowering period	Floppia-cov +15 days
Flower abundance	High
Yield	High
Tree	Medium vigor, semi-upright
Self-fertility	Yes

FRUIT

Shape	Oblong
Firmness	Very firm
Fruit cracking	No
Color	Intense red
Size	AA
Flavor	Very good, sweet, very aromatic



```
//RED APRICOT
```

NEW

TC237-18-cov

CPVO patent TC237-18-cov

CHARACTERISTICS

Ripening period	Flopria-cov + 15 days
Flowering period	Flopria-cov +10 days
Flower abundance	High
Yield	High
Tree	Strong vigor, semi-open
Self-fertility	Yes

FRUIT

Shape	Round
Firmness	Very firm
Fruit cracking	No
Color	Bright red
Size	AA
Flavor	Good, slight acidity



11

MONTECARLA-cov (CR20-1)

CPVO patent MONTECARLA-cov CEE N° 2023/2243

CHARACTERISTICS

Ripening period	Black splendor +5 days
Flowering period	Black splendor +5 days
Flower abundance	High
Yield	High
Tree	Strong vigor, semi-open
Self-fertility	No, pollinator: CR19-14-cov

FRUIT

Shape	Round
Firmness	Firm
Fruit cracking	No
Color	Red skin, red flesh
Size	45-50mm
Flavor	Very sweet



NEW

CR18-19-cov

CPVO patent CR18-19-cov

CHARACTERISTICS

Ripening period	Black Splendor +15 days
Flowering period	Black Splendor - 10 days
Flower abundance	High
Yield	High
Tree	Standard vigor, semi-open
Self-fertility	No, pollinator: BA91-16-cov

FRUIT

Shape	Round
Firmness	Very firm
Fruit cracking	No
Color	Red skin, yellow flesh
Size	50-55mm
Flavor	Very good, aromatic and sweet



NEW

CR19-14-cov

CPVO patent CR19-14-cov

CHARACTERISTICS

Ripening period	Black Splendor +15 days
Flowering period	Black Splendor +5 days
Flower abundance	High
Yield	High
Tree	Strong vigor, semi-open
Self-fertility	No, pollinator: Montecarla-cov

FRUIT

Shape	Round
Firmness	Very firm
Fruit cracking	No
Color	Red skin, red flesh
Size	45-50mm
Flavor	Very sweet



NEW

BA91-16-cov

CPVO patent BA91-16-cov

CHARACTERISTICS

Ripening period	Fortune -15 days
Flowering period	Black Splendor -10 days
Flower abundance	High
Yield	High
Tree	Standard vigor, semi-open
Self-fertility	Under study. Pollinizable with CR18-19-cov to improve fruit set

FRUIT

Shape	Round
Firmness	Very firm
Fruit cracking	No
Color	Red skin, red flesh
Size	55-60mm
Flavor	Very good, aromatic and sweet



NEW

ORELYS-cov (STRATI-4)

CPVO patent ORELYS-cov CEE N° 2024/2532

CHARACTERISTICS

Ripening period	Pallatina-cov -5 days
Flowering period	Pallatina-cov -5 days
Flower abundance	High
Yield	Medium
Tree	Medium vigor
Self-fertility	No

FRUIT

Shape	Oblong
Firmness	Firm
Fruit cracking	No
Color	Light red skin, red flesh
Size	40-45mm
Flavor	Very sweet, juicy



NEW

CR43-9-cov

CPVO patent CR43-9-cov

CHARACTERISTICS

Ripening period	Fortune +10 days
Flowering period	Black Splendor period
Flower abundance	High
Yield	Very good
Tree	Medium vigor, semi-open
Self-fertility	No, pollinator: Pallatina-cov

FRUIT

Shape	Round, flat
Firmness	Very firm
Fruit cracking	No
Color	Red skin, red flesh
Size	50-55mm
Flavor	Very sweet, very aromatic



PALLATINA-cov (K321-75)

CPVO patent PALLATINA-cov CEE N° 2020/2645

CHARACTERISTICS

Ripening period	Fortune -5 days
Flowering period	Black Splendor period
Flower abundance	Very good
Yield	Very good
Tree	Vigorous, semi-open
Self-fertility	No, pollinator: CR43-9-cov

FRUIT

Shape	Round
Firmness	Very firm
Fruit cracking	No
Color	Red skin, red flesh
Size	50-55mm
Flavor	Very good, sweet and aromatic



AZULIS-cov (CR45-4)

CPVO patent AZULIS-cov CEE N° 2022/2411

CHARACTERISTICS

Ripening period	Angeleno -15 days
Flowering period	Black Splendor +10 days
Flower abundance	High
Yield	High
Tree	Medium vigor, semi-upright
Self-fertility	No, pollinators: Pallatina-cov, CR43-9-cov

FRUIT

Shape	Round
Firmness	Very firm. Optimal tree holding
Fruit cracking	No
Color	Black skin, yellow flesh
Size	50-55mm
Flavor	Very sweet, very aromatic



CA584-30-cov

CPVO patent	CA584-30-cov
CHARACTERISTICS	
Ripening period	Angeleno period
Flowering period	Angeleno +10 days
Flower abundance	High
Yield	High
Tree	Medium vigor, semi-open
Self-fertility	Under study

FRUIT	
Shape	Oblong
Firmness	Very firm
Fruit cracking	No
Color	Dark skin, red flesh
Size	45-50mm
Flavor	Very sweet




BA345-5-cov

CPVO patent	BA345-5-cov
CHARACTERISTICS	
Ripening period	Angeleno +10 days
Flowering period	Angeleno +20 days
Flower abundance	High
Yield	High
Tree	Strong vigor, semi-upright
Self-fertility	No, pollinator: CA584-30-cov

FRUIT	
Shape	Oblong
Firmness	Firm
Fruit cracking	No
Color	Green/yellow skin, yellow flesh
Size	55-60mm
Flavor	Very sweet and crisp



YELLOW FLESH PEACH CALENDAR



NEW

KITTY-cov (BN600-1)

CPVO patent	KITTY-cov CEE N° 2023/2266
CHARACTERISTICS	(SUB)
Ripening period	Astoria-cov +5 days
Flowering period	Astoria-cov +5 days
Flower abundance	Medium
Yield	High
Tree	Standard vigor, semi-open

FRUIT

Shape	Round
Firmness	Medium
Fruit cracking	No
Color	Dark red 100%
Size	B-A
Flavor	Very good, sweet, sub-acid



POMPADOUR-cov (K202-6)

CPVO patent	POMPADOUR-cov CEE N° 2016/2620
CHARACTERISTICS	
Ripening period	Astoria-cov +10 days
Flowering period	Astoria-cov period
Flower abundance	High
Yield	High
Tree	Strong vigor, semi-open

FRUIT

Shape	Round
Firmness	Firm
Fruit cracking	No
Color	Dark red
Size	A
Flavor	Good, balanced



//YELLOW FLESH PEACH

NEW

NICOSY-cov (5560-3)

CPVO patent	NICOSY-cov CEE N° 2024/2256
CHARACTERISTICS	
Ripening period	Astoria-cov +15 days
Flowering period	Lola-cov period
Flower abundance	Medium
Yield	High
Tree	Standard vigor, semi-open

FRUIT

Shape	Round
Firmness	Very firm
Fruit cracking	No
Color	Red 100 %
Size	A-AA
Flavor	Good, balanced



PAMPANA-cov (K313-26)

CPVO patent	PAMPANA-cov CEE N° 2014/2518
CHARACTERISTICS	(SUB)
Ripening period	Carla-cov +15 days
Flowering period	Carla-cov -5 days
Flower abundance	High
Yield	High
Tree	Strong vigor, semi-open

FRUIT

Shape	Round, flat
Firmness	Very firm
Fruit cracking	No
Color	Intense red
Size	A-AA
Flavor	Very good, aromatic and sub-acid



//YELLOW FLESH PEACH

NEW

VERACRUZ-cov (BN366-1)

CPVO patent	VERACRUZ-cov CEE N° 2023/2268
CHARACTERISTICS	(SUB)
Ripening period	Astoria-cov +25 days
Flowering period	Lola-cov period
Flower abundance	Medium
Yield	High
Tree	Standard vigor, semi-open

FRUIT

Shape	Round
Firmness	Very firm
Fruit cracking	No
Color	Red 100 %
Size	A-AA
Flavor	Sweet, good and sub-acid



SOLEDORA-cov (5610-1)

CPVO patent	SOLEDORA-cov CEE N° 2020/2662
CHARACTERISTICS	(SUB)
Ripening period	Carla-cov +40 days
Flowering period	Carla-cov +5 days
Flower abundance	High
Yield	High
Tree	Standard vigor, semi-open

FRUIT

Shape	Round, flat
Firmness	Firm
Fruit cracking	No
Color	Dark red
Size	AA
Flavor	Very good, sweet and sub-acid



19

NEW

CHARLOTTE-cov (BN928-7)

CPVO patent CHARLOTTE-cov CEE N° 2024/2542

CHARACTERISTICS SUB

Ripening period	Sweet Dream-cov -10 days
Flowering period	Carla-cov +5 days
Flower abundance	High
Yield	High
Tree	Standard vigor, semi-open

FRUIT

Shape	Round
Firmness	Firm
Fruit cracking	No
Color	Dark red 100%
Size	AA-A
Flavor	Very good, sweet and sub-acid



NEW

ODYSEE-cov (BN1106-11)

CPVO patent ODYSEE-cov CEE N° 2022/2404

CHARACTERISTICS SUB X

Ripening period	Sweet Henry-cov -5 days
Flowering period	Sweet Henry-cov period
Flower abundance	High
Yield	Medium
Tree	High vigor, semi-open

FRUIT

Shape	Round, flat
Firmness	Very firm
Fruit cracking	No
Color	Red 100 %
Size	AA-A
Flavor	Good, very sweet and sub-acid



NEW

TAONUI-cov (BN993-5)

CPVO patent TAONUI-cov CEE N°2025/2046

CHARACTERISTICS SUB

Ripening period	Sweet Dream-cov +15 days
Flowering period	Sweet Dream-cov period
Flower abundance	High
Yield	High
Tree	Standard vigor, semi-open

FRUIT

Shape	Roun, flat
Firmness	Very firm
Fruit cracking	No
Color	Red 100 %
Size	AA
Flavor	Good, sub-acid



NEW

BN1112-6-cov

CPVO patent BN1112-6-cov

CHARACTERISTICS SUB

Ripening period	Sweet Henry-cov +5 days
Flowering period	Sweet Henry-cov period
Flower abundance	High
Yield	High
Tree	Standard vigor, semi-open


FRUIT

Shape	Round
Firmness	Very firm
Fruit cracking	No
Color	Red 100 %
Size	A-AA
Flavor	Good, sweet and sub-acid



WHITE FLESH PEACH

WHITE FLESH PEACH CALENDAR



X XANTHOMONAS TOLERANCE SUB SUB-ACID

NEW

MADRAS-cov (BN313-15)

CPVO patent	MADRAS-cov CEE N° 2024/2255
CHARACTERISTICS	
Ripening period	Amandina-cov -5 days
Flowering period	Amandina-cov -5 days
Flower abundance	Medium
Yield	High
Tree	Standard vigor, semi-open

FRUIT

Shape	Round
Firmness	Firm
Fruit cracking	No
Color	Red 100%
Size	A-B
Flavor	Good, balanced



AMANDINA-cov (T191-1)

CPVO patent	AMANDINA-cov CEE N° 2013/3048
CHARACTERISTICS	
Ripening period	Medium: 5 May
Flowering period	Medium: 20 January
Flower abundance	High
Yield	High
Tree	Strong vigor, semi-open

FRUIT

Shape	Round
Firmness	Very firm
Fruit cracking	No
Color	Dark red
Size	A-AA
Flavor	Good, balanced and aromatic



//WHITE FLESH PEACH

MARMARA-cov (5746-17)

CPVO patent	MARMARA-cov CEE N° 2019/2722
CHARACTERISTICS	
Ripening period	Pamela-cov-10 days
Flowering period	Amandina-cov +5 days
Flower abundance	Medium
Yield	High
Tree	Standard vigor, semi-open

FRUIT

Shape	Round
Firmness	Very firm
Fruit cracking	No
Color	Dark red
Size	AA
Flavor	Very good, sub-acid and aromatic



MAREVA-cov (K313-24)

CPVO patent	MAREVA-cov CEE N° 2015/2396
CHARACTERISTICS	
Ripening period	Pamela-cov +10 days
Flowering period	Pamela-cov -5 days
Flower abundance	Very good
Yield	Very good
Tree	Vigorous, semi-open

FRUIT

Shape	Round
Firmness	Very firm
Fruit cracking	No
Color	Intense red
Size	A-AA
Flavor	Very good, aromatic and sub-acid



//WHITE FLESH PEACH

PAMELA-cov (B407-2)

CPVO patent	PAMELA-cov CEE N° 2012/2212
CHARACTERISTICS	
Ripening period	Medium: 25 May
Flowering period	Medium: 25 February
Flower abundance	High
Yield	High
Tree	Vigorous, semi-open

FRUIT

Shape	Round
Firmness	Firm
Fruit cracking	No
Color	Dark red
Size	A
Flavor	Very good, aromatic



NEW

BN610-3-cov

CPVO patent	BN610-3-cov
CHARACTERISTICS	
Ripening period	Pamela-cov +20 days
Flowering period	Pamela-cov -5 days
Flower abundance	Medium
Yield	High
Tree	Standard vigor, semi-open

FRUIT

Shape	Round
Firmness	Firm
Fruit cracking	No
Color	Dark red 100%
Size	A-AA
Flavor	Good, sweet and sub-acid



ALABAMA-cov (5888-25)

CPVO patent ALABAMA-cov CEE N° 2017/2630

CHARACTERISTICS

SUB

Ripening period	Pamela-cov +30 days
Flowering period	Mareva-cov +12 days
Flower abundance	High
Yield	High
Tree	Strong vigor, semi-open

FRUIT

Shape	Round
Firmness	Very firm
Fruit cracking	No
Color	Dark red
Size	A-AA
Flavor	Very good, aromatic and sub-acid



NEW

FABULISA-cov (BN927-8)

CPVO patent FABULISA-cov CEE Nº 2024/2541

CHARACTERISTICS

(SUB)

Ripening period	Ibiza-cov +15 days
Flowering period	Pamela-cov period
Flower abundance	High
Yield	High
Tree	Standard vigor, semi-open

FRUIT

Shape	Round
Firmness	Very firm
Fruit cracking	No
Color	Red 100 %
Size	A-AA
Flavor	Good, sweet and sub-acid



MELISSA-cov (HA693-1)

CPVO patent MELISSA-cov CEE N° 2016/2625

CHARACTERISTICS

SUB X

Ripening period	Ibiza-cov -5 days
Flowering period	Pamela-cov period
Flower abundance	High
Yield	High
Tree	Strong vigor, semi-open

FRUIT

Shape	Round
Firmness	Very firm
Fruit cracking	No
Color	Dark red
Size	A-AA
Flavor	Very good, aromatic and sub-acid



NEW

BN927-4-cov

CPVO patent BN927-4-cov

CHARACTERISTICS

(SUB)

Ripening period	Ibiza-cov +20 days
Flowering period	Ibiza-cov period
Flower abundance	Medium
Yield	High
Tree	Standard vigor, semi-open

FRUIT

Shape	Round
Firmness	Firm
Fruit cracking	No
Color	Dark red 100%
Size	A-AA
Flavor	Very good, sweet



CLINGSTONE PEACH CALENDAR

APRIL			MAY					JUNE					JULY					AUGUST					SEPTEMBER				
20	25		5	10	15	20	25	5	10	15	20	25	5	10	15	20	25	5	10	15	20	25	5	10	15	20	25
								ZN175-5-cov																			
								PALOMBAGGIA-cov			HA167-2																
								BORNEO-cov			HA163-56																
								TN411-8-cov																			
														BN774-8-cov													
															TN472-5-cov												
																MYMQSA-cov		TN473-9									
																	BN889-5-cov										

CLINGSTONE PEACH

NEW

PALOMBAGGIA-cov (HA167-2)

CPVO patent	PALOMBAGGIA-cov CEE N° 2017/2632
CHARACTERISTICS	
Ripening period	Romea -10 days
Flowering period	Romea -20 days
Flower abundance	High
Yield	High
Tree	Strong vigor, semi-open

FRUIT	
Shape	Round
Firmness	Firm
Fruit cracking	No
Color	Yellow 100 %
Size	A-AA
Flavor	Good, balanced



NEW

BN774-8-cov

CPVO patent	BN774-8-cov
CHARACTERISTICS	
Ripening period	Yellowstone period
Flowering period	Early
Flower abundance	Medium
Yield	Medium
Tree	Strong vigor, semi-open

FRUIT	
Shape	Round
Firmness	Medium
Fruit cracking	No
Color	Yellow 100%
Size	AAA-AA
Flavor	Balanced



TN411-8-cov

CPVO patent	TN411-8-cov
CHARACTERISTICS	
Ripening period	Romea +5 days
Flowering period	Big Top® period
Flower abundance	Medium
Yield	High
Tree	Strong vigor, semi-open

FRUIT	
Shape	Round
Firmness	Firm
Fruit cracking	No
Color	Yellow with light blush
Size	AA
Flavor	Sweet, little aroma



MYMOSA-cov (TN473-9)

CPVO patent	MYMOSA-cov CEE N° 2024/2540
CHARACTERISTICS	
Ripening period	Mountain Gold period
Flowering period	Mountain Gold period
Flower abundance	Medium
Yield	High
Tree	Medium vigor, semi-open

FRUIT	
Shape	Round
Firmness	Firm
Fruit cracking	No
Color	Yellow 100%
Size	A-AA
Flavor	Traditional flavor, sub-acid



//CLINGSTONE PEACH



YELLOW FLESH FLAT PEACH

YELLOW FLESH FLAT PEACH CALENDAR

APRIL		MAY					JUNE					JULY					AUGUST					SEPTEMBER				
20	25	5	10	15	20	25	5	10	15	20	25	5	10	15	20	25	5	10	15	20	25	5	10	15	20	25
		(SUB) ESPIRAL-cov		BN45-2																						
		(SUB) KIWANI-cov		5607-6																						
		(SUB) DIVADONA-cov		5544-54																						
			(SUB) AC556-2-cov																							
				(SUB) OSIRIS-cov		HA555-3																				
							(SUB) 5911-10-cov																			

(SUB) SUB-ACID

NEW

ESPIRAL-cov (BN45-2)

CPVO patent ESPIRAL-cov CEE N° 2023/2270

CHARACTERISTICS

(SUB)

Ripening period Divadona-cov -10 days
Flowering period Divadona-cov -10 days
Flower abundance Medium
Yield High
Tree Standard vigor, semi-open

FRUIT

Shape Flat
Firmness Very firm
Fruit cracking No
Color Red 100%
Size B-A
Flavor Very good, sweet, sub-acid, aromatic



KIWANI-cov (5607-6)

CPVO patent KIWANI-cov CEE N° 2021/2726

CHARACTERISTICS

(SUB)

Ripening period Divadona-cov -5 days
Flowering period Divadona-cov -5 days
Flower abundance Low
Yield High
Tree Strong vigor, semi-open

FRUIT

Shape Flat
Firmness Firm
Fruit cracking No
Color Dark red
Size A-B
Flavor Sweet, sub-acid



//YELLOW FLESH FLAT PEACH

NEW

DIVADONA-cov (5544-54)

CPVO patent DIVADONA-cov CEE N° 2014/2514

CHARACTERISTICS

(SUB)

Ripening period Medium: 10 May
Flowering period Medium: 5 February
Flower abundance High
Yield High
Tree Strong vigor, semi-open

FRUIT

Shape Flat
Firmness Firm
Fruit cracking No
Color Dark red
Size A-B
Flavor Very good, aromatic and sub-acid



OSIRIS-cov (HA555-3)

CPVO patent OSIRIS-cov CEE N° 2014/2515

CHARACTERISTICS

(SUB)

Ripening period Samantha-cov +5 days
Flowering period Samantha-cov -5 days
Flower abundance High
Yield High
Tree Strong vigor, semi-open

FRUIT

Shape Flat
Firmness Very firm
Fruit cracking No
Color Intense red
Size A-AA
Flavor Very good, aromatic and sub-acid



//YELLOW FLESH FLAT PEACH

AC556-2-cov

CPVO patent AC556-2-cov

CHARACTERISTICS

(SUB)

Ripening period Samantha-cov -5 days
Flowering period Samantha-cov period
Flower abundance High
Yield High
Tree Strong vigor, semi-open

FRUIT

Shape Flat
Firmness Very firm
Fruit cracking No
Color Dark red 100%
Size A-AA
Flavor Very good, sweet, sub-acid



NEW

5911-10-cov

CPVO patent 5911-10-cov

CHARACTERISTICS

(SUB)


Ripening period Platibelle-cov +5 days period
Flowering period Samantha-cov period
Flower abundance High
Yield High
Tree Strong vigor, semi-open

FRUIT

Shape Flat
Firmness Very firm
Fruit cracking No
Color Dark red 100%
Size AA
Flavor Very good, sweet with aroma, sub-acid




CALENDAR



This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



WHITE FLESH FLAT PEACH CALENDAR



NEW

BORA BORA-cov (DN334-4)

CPVO patent	BORA BORA-cov CEE N° 2024/2257
CHARACTERISTICS	(SUB)
Ripening period	Samantha-cov -30 days
Flowering period	Samantha-cov -25 days
Flower abundance	High
Yield	High
Tree	Strong vigor, semi-open

FRUIT

Shape	Flat
Firmness	Very firm
Fruit cracking	No
Color	Red
Size	B
Flavor	Very good, sweet, sub-acid



ZODIAC-cov (5607-5)

CPVO patent	ZODIAC-cov CEE N° 2018/2720
CHARACTERISTICS	(SUB)
Ripening period	Samantha-cov -20 days
Flowering period	Samantha-cov -20 days
Flower abundance	High
Yield	High
Tree	Strong vigor, semi-open

FRUIT

Shape	Flat
Firmness	Firm
Fruit cracking	No
Color	Dark red
Size	A-B
Flavor	Very good, aromatic and sub-acid



SAMANTHA-cov (HA555-45)

CPVO patent	SAMANTHA-cov CEE N° 2012/2218
CHARACTERISTICS	(SUB) X
Ripening period	Medium: 30 May
Flowering period	Medium: 25 February
Flower abundance	High
Yield	High
Tree	Strong vigor, semi-open

FRUIT

Shape	Flat
Firmness	Very firm
Fruit cracking	No
Color	Intense red
Size	A-AA
Flavor	Very good, sub-acid



BABYLONE-cov (AC552-2)

CPVO patent	BABYLONE-cov CEE N° 2018/2721
CHARACTERISTICS	(SUB) X
Ripening period	Samantha-cov +15 days
Flowering period	Samantha-cov +5 days
Flower abundance	High
Yield	High
Tree	Strong vigor, semi-open

FRUIT

Shape	Flat
Firmness	Very firm
Fruit cracking	No
Color	Dark red
Size	AA-A
Flavor	Very good, sub-acid and aromatic



CONTESSA-cov (HA544-18)

CPVO patent	CONTESSA-cov CEE N° 2016/2627
CHARACTERISTICS	(SUB)
Ripening period	Samantha-cov +15 days
Flowering period	Samantha-cov +5 days
Flower abundance	Medium
Yield	High
Tree	Strong vigor, semi-open

FRUIT

Shape	Flat
Firmness	Very firm
Fruit cracking	No
Color	Intense red
Size	AA-A
Flavor	Very good, sub-acid



MARQUESA-cov (AC601-9)

CPVO patent	MARQUESA-cov CEE N° 2021/2722
CHARACTERISTICS	(SUB)
Ripening period	Samantha-cov +20 days
Flowering period	Samantha-cov -5 days
Flower abundance	Very high
Yield	Very good
Tree	Strong vigor, semi-open

FRUIT

Shape	Flat
Firmness	Very firm
Fruit cracking	No
Color	Red
Size	AA
Flavor	Very sweet, sub-acid



NEW

KALDONIA-cov (BU1-190)

CPVO patent	KALDONIA-cov CEE N° 2024/2544
CHARACTERISTICS (SUB)	
Ripening period	Platibelle-cov -5 days
Flowering period	Platibelle-cov period
Flower abundance	High
Yield	High
Tree	Low vigor, semi-open
	Flat

FRUIT

Shape	Firm
Firmness	No
Fruit cracking	Light red
Color	A-AA
Size	Good, sweet and sub-acid
Flavor	



NEW

KARAÏBE-cov (BN1-360)

CPVO patent	KARAÏBE-cov CEE N° 2024/2545
CHARACTERISTICS (SUB)	
Ripening period	Platibelle-cov +5 days
Flowering period	Platibelle-cov period
Flower abundance	High
Yield	High
Tree	Low vigor, semi-open

FRUIT

Shape	Flat
Firmness	Very firm
Fruit cracking	No
Color	Dark red 100%
Size	AA
Flavor	Good, sweet and sub-acid



CARAMBA-cov (B426-5)

CPVO patent	CARAMBA-cov CEE N° 2013/3057
CHARACTERISTICS (SUB)	
Ripening period	Platibelle-cov period
Flowering period	Platibelle-cov period
Flower abundance	Medium
Yield	High
Tree	Strong vigor, semi-open

FRUIT

Shape	Flat
Firmness	Very firm
Fruit cracking	Very low
Color	Dark red
Size	A-AA
Flavor	Very good, aromatic and sub-acid



CYCLADE-cov (BP171-4)

CPVO patent	CYCLADE-cov CEE N° 2021/2725
CHARACTERISTICS (SUB) X	
Ripening period	Platibelle-cov +10 days
Flowering period	Sweet Cap® period
Flower abundance	Very high
Yield	High
Tree	Low vigor, semi-open

FRUIT

Shape	Flat
Firmness	Very firm
Fruit cracking	No
Color	Red
Size	AA
Flavor	Very sweet, sub-acid



FILOE-cov (5927-3)

CPVO patent	FILOE-cov CEE N° 2016/2629
CHARACTERISTICS (SUB) X	
Ripening period	Sweet Cap® +5 days
Flowering period	Sweet Cap® period
Flower abundance	Medium
Yield	High
Tree	Low vigor, semi-open

FRUIT

Shape	Flat
Firmness	Very firm
Fruit cracking	No
Color	Dark red
Size	AA
Flavor	Very good, aromatic and sub-acid



KALISTA-cov (BP171-33)

CPVO patent	KALISTA-cov CEE N° 2022/2408
CHARACTERISTICS (SUB)	
Ripening period	Sweet Cap® +15 days
Flowering period	Sweet Cap® period
Flower abundance	Very high
Yield	High
Tree	Strong vigor, semi-open

FRUIT

Shape	Flat
Firmness	Very firm
Fruit cracking	No
Color	Light red
Size	AA
Flavor	Very sweet and sub-acid



[illegible]

NEW

NEW

IPANEMA-cov (5709-24)

CPVO patent IPANEMA-cov CEE N° 2017/2610

CHARACTERISTICS

SUB

Ripening period	Garofa-cov -10 days
Flowering period	Flariba-cov +5 days
Flower abundance	High
Yield	High
Tree	Strong vigor, semi-open

FRUIT

Shape	Round
Firmness	Very firm
Fruit cracking	No
Color	Dark red 100 %
Size	A
Flavor	Very good, sub-acid



TRINITY-cov (CN120-10)

CPVO patent TRINITY-cov CEE N° 2023/2256

CHARACTERISTICS

SUB

Ripening period	Garofa-cov -5 days
Flowering period	Flariba-cov +5 days
Flower abundance	High
Yield	Very good
Tree	Medium vigor, semi-open

FRUIT

Shape	Round, flat
Firmness	Very firm
Fruit cracking	No
Color	Bright red
Size	A
Flavor	Very sweet and sub-acid



ATANAIS-cov (5661-26)

CPVO patent ATANAIS-cov CEE N° 2016/2626

CHARACTERISTICS

SUB

X

Ripening period	Big top® period
Flowering period	Big Top® -5 days
Flower abundance	High
Yield	High
Tree	Medium vigor, semi-open

FRUIT

Shape	Round
Firmness	Very good
Fruit cracking	No
Color	Bright intense red
Size	AA-A
Flavor	Very good, sub-acid



MATISS-cov (5661-56)

CPVO patent MATISS-cov CEE N° 2020/2677

CHARACTERISTICS

SUB

X

Ripening period	Luciana-cov -5 days
Flowering period	Big Top® period
Flower abundance	High
Yield	High
Tree	Medium vigor, semi-upright

FRUIT

Shape	Round
Firmness	Very firm
Fruit cracking	No
Color	Bright intense red
Size	AA
Flavor	Very good, sub-acid and aromatic



CARACAS-cov (5710-48)

CPVO patent CARACAS-cov CEE N° 2017/2611

CHARACTERISTICS

SUB

Ripening period	Garofa-cov period
Flowering period	Garofa-cov -5 days
Flower abundance	High
Yield	High
Tree	Strong vigor, semi-open

FRUIT

Shape	Round
Firmness	Very firm
Fruit cracking	No
Color	Dark red 100 % with sugar spots
Size	A-AA
Flavor	Very good, sub-acid



ORIGAMI-cov (TN344-52)

CPVO patent ORIGAMI-cov CEE N° 2022/2405

CHARACTERISTICS

SUB

Ripening period	Garofa-cov +10 days
Flowering period	Garofa-cov period
Flower abundance	Low
Yield	High
Tree	Strong vigor, semi-open

FRUIT

Shape	Round, oblong
Firmness	Very firm
Fruit cracking	No
Color	Intense red 100%
Size	A-AA
Flavor	Very good, sub-acid



CLARISS-cov (4052-22)

CPVO patent CLARISS-cov CEE N° 2014/2513

CHARACTERISTICS

SUB

Ripening period	Luciana-cov +5 days
Flowering period	Luciana-cov +10 days
Flower abundance	Good
Yield	High
Tree	Strong vigor, semi-open

FRUIT

Shape	Round
Firmness	Very firm
Fruit cracking	No
Color	Dark red 100 %
Size	AA-A
Flavor	Very good, aromatic and sub-acid



SUCULENTE MARI-cov (5785-3)

CPVO patent SUCULENTE MARI-cov CEE N° 2020/2678

CHARACTERISTICS

SUB

Ripening period	Luciana-cov +15 days
Flowering period	Luciana-cov +10 days
Flower abundance	High
Yield	High
Tree	Medium vigor, semi-open

FRUIT

Shape	Round, oblong
Firmness	Very firm
Fruit cracking	No
Color	Bright intense red
Size	AA
Flavor	Very good, sweet, sub-acid, aromatic



NEW

NEFERTITI-cov (BN950-6)

CPVO patent	NERFERTITI-cov CEE N° 2023/2257
CHARACTERISTICS	
Ripening period	Kinolea-cov -15 days
Flowering period	Luciana-cov period
Flower abundance	High
Yield	High
Tree	Medium vigor, semi-open

FRUIT	
Shape	Round
Firmness	Very firm
Fruit cracking	No
Color	Red 100%
Size	AA
Flavor	Very good, sweet and sub-acid



NEW

TAHITI-cov (BN931-16)

CPVO patent	TAHITI-cov CEE N° 2023/2258
CHARACTERISTICS	
Ripening period	Kinolea-cov -5 days
Flowering period	Luciana-cov +5 days
Flower abundance	High
Yield	High
Tree	Medium vigor, semi-open

FRUIT	
Shape	Round
Firmness	Very firm
Fruit cracking	No
Color	Red 100%
Size	AA
Flavor	Very good, sweet and sub-acid



NEW

5549-96-cov

CPVO patent	5549-96-cov
CHARACTERISTICS	
Ripening period	Kinolea-cov -15 days
Flowering period	Luciana-cov -5 days
Flower abundance	High
Yield	High
Tree	Medium vigor, semi-open

FRUIT	
Shape	Round
Firmness	Very firm
Fruit cracking	No
Color	Dark red 100%
Size	A
Flavor	Sweet, sub-acid



KINOLEA-cov (4052-15)

CPVO patent	KINOLEA-cov CEE N° 2014/2512
CHARACTERISTICS	
Ripening period	Medium: 5 August
Flowering period	Luciana-cov period
Flower abundance	High
Yield	High
Tree	Vigorous, semi-open

FRUIT	
Shape	Round, oblong
Firmness	Very firm
Fruit cracking	No
Color	Light red 50%
Size	AA-AAA
Flavor	Very good, sweet and sub-acid



HAWAÏ-cov (BN1118-28)

CPVO patent	HAWAÏ-cov CEE N° 2022/2406
CHARACTERISTICS	
Ripening period	Kinolea-cov +10 days
Flowering period	Luciana-cov +5 days
Flower abundance	High
Yield	High
Tree	Low vigor, semi-upright

FRUIT	
Shape	Round, flat
Firmness	Very firm
Fruit cracking	No
Color	Red 100 %
Size	AA-A
Flavor	Very good, very sweet and sub-acid



NEW

BN1066-1-cov

CPVO patent	BN1066-1-cov
CHARACTERISTICS	
Ripening period	Western Red-cov +15 days
Flowering period	Luciana-cov +10 days
Flower abundance	High
Yield	High
Tree	Standard vigor, semi-open

FRUIT	
Shape	Oblong
Firmness	Very firm
Fruit cracking	No
Color	Orange/red, bright
Size	A-AA
Flavor	Very good, sub-acid and aromatic



NEW

TENERIF-cov (BN1097-20)

CPVO patent	TENERIF-cov CEE N°2025/2045
CHARACTERISTICS	
Ripening period	Western Red-cov -5 days
Flowering period	Luciana-cov +10 days
Flower abundance	High
Yield	High
Tree	Standard vigor, semi-open

FRUIT	
Shape	Round, oblong
Firmness	Very firm
Fruit cracking	No
Color	Bright red 100%
Size	A-AA
Flavor	Very good, sweet and aromatic



NEW

BN1043-1-cov

CPVO patent	BN1043-1-cov
CHARACTERISTICS	
Ripening period	Western Red-cov +20 days
Flowering period	Luciana-cov +10 days
Flower abundance	High
Yield	High
Tree	Standard vigor, semi-open

FRUIT	
Shape	Round, flat
Firmness	Very firm
Fruit cracking	No
Color	Orange/red, bright
Size	AA
Flavor	Very good, sub-acid and aromatic



APRIL		MAY					JUNE					JULY					AUGUST					SEPTEMBER				
20	25	5	10	15	20	25	5	10	15	20	25	5	10	15	20	25	5	10	15	20	25	5	10	15	20	25
	(SUB) DIAMANTINA-cov 5235-2																									
		FLAVANA-cov N2-24																								
		(SUB) ALTAMIRA-cov 5710-50																								
		(SUB) X BOREAL-cov T333-31																								
			(SUB) X AMAPOLA-cov 5829-22																							
			(SUB) X GARCICA-cov N48-21																							
			(SUB) BN861-26-cov																							
				(SUB) CALICOBA-cov 5635-31																						
				(SUB) X VAHINE-cov 5904-21																						
				(SUB) TIFANY-cov 4050-1																						
					(SUB) ALEGORIA-cov BN1118-11																					
					(SUB) BN1118-68-cov																					
						Zephyr®	Reference																			
						(SUB) X CHUBBY-cov	BN1118-24																			
							Tourmaline®	Reference																		



ALTAMIRA-cov (5710-50)

CPVO patent	ALTAMIRA-cov CEE N° 2018/2723
CHARACTERISTICS (SUB)	
Ripening period	Boreal-cov -5 days
Flowering period	Boreal-cov -10 days
Flower abundance	High
Yield	High
Tree	Strong vigor, semi-open

FRUIT

Shape	Round, oblong
Firmness	Very firm
Fruit cracking	No
Color	Dark red
Size	A
Flavor	Very good, sub-acid and aromatic



AMAPOLA-cov (5829-22)

CPVO patent	AMAPOLA-cov CEE N° 2019/2724
CHARACTERISTICS (SUB) X	
Ripening period	Garcica-cov -10 days
Flowering period	Boreal-cov period
Flower abundance	High
Yield	High
Tree	Strong vigor, semi-open

FRUIT

Shape	Perfect round
Firmness	Very firm
Fruit cracking	No
Color	Birght red
Size	A-AA
Flavor	Very good, sweet and aromatic



BOREAL-cov (T333-31)

CPVO patent	BOREAL-cov CEE N° 2014/2530
CHARACTERISTICS (SUB) X	
Ripening period	Medium: 20 May
Flowering period	Medium: 10 February
Flower abundance	High
Yield	High
Tree	Vigorous, semi-open

FRUIT

Shape	Round
Firmness	Very firm
Fruit cracking	No
Color	Dark red
Size	A-AA
Flavor	Very good, aromatic and sub-acid



NEW

BN861-26-cov

CPVO patent	BN861-26-cov
CHARACTERISTICS (SUB)	
Ripening period	Garcica-cov +5 days
Flowering period	Boreal-cov +10 days
Flower abundance	High
Yield	High
Tree	Vigorous, semi-open

FRUIT

Shape	Round
Firmness	Very firm
Fruit cracking	No
Color	Bright red with sugar spots
Size	AA
Flavor	Sweet, aromatic and sub-acid



//WHITE FLESH NECTARINE

CALICOPA-cov (5635-31)

CPVO patent	CALICOPA-cov CEE N° 2021/2717
CHARACTERISTICS (SUB)	
Ripening period	Garcica-cov +20 days
Flowering period	Boreal-cov +10 days
Flower abundance	High
Yield	High
Tree	Vigorous, semi-open

FRUIT

Shape	Round
Firmness	Very firm
Fruit cracking	No
Color	Bright red with sugar spots
Size	AA
Flavor	Sweet, aromatic and sub-acid



TIFANY-cov (4050-1)

CPVO patent	TIFANY-cov CEE N° 2010/2743
CHARACTERISTICS (SUB)	
Ripening period	Medium: 25 July
Flowering period	Medium: 5 March
Flower abundance	High
Yield	High
Tree	Vigorous, semi-open

FRUIT

Shape	Round
Firmness	Very firm
Fruit cracking	No
Color	Dark red
Size	AA
Flavor	Sweet, aromatic and sub-acid



//WHITE FLESH NECTARINE

VAHINE-cov (5904-21)

CPVO patent	VAHINE-cov CEE N° 2020/2668
CHARACTERISTICS (SUB) X	
Ripening period	Tifany-cov -5 days
Flowering period	Tifany-cov period
Flower abundance	High
Yield	High
Tree	Medium vigor, semi-open

FRUIT

Shape	Round
Firmness	Very firm, good on-tree holding
Fruit cracking	No
Color	Intense red, bright
Size	AA
Flavor	Very good, sub-acid and aromatic




NEW

ALEGORIA-cov (BN1118-11)

CPVO patent	ALEGORIA-cov CEE N° 2024/2533
CHARACTERISTICS (SUB)	
Ripening period	Tifany-cov +10 days
Flowering period	Tifany-cov +10 days
Flower abundance	High
Yield	High
Tree	Standard, semi-abierto

FRUIT

Shape	Round
Firmness	Very firm
Fruit cracking	No
Color	Bright red 100%
Size	A-AA
Flavor	Good, sub-acid



NEW

BN1118-68-COV

CPVO patent BN1118-68-cov

CHARACTERISTICS

(SUB)

Ripening period	Tifany-cov +15 days
Flowering period	Tifany-cov +10 days
Flower abundance	High
Yield	High
Tree	Standard vigor, semi-open

FRUIT

Shape	Round flat
Firmness	Very firm
Fruit cracking	No
Color	Dark red
Size	AA
Flavor	Very good, sweet and sub-acid



NEW

CN600-2-cov

CPVO patent CN600-2-cov

CHARACTERISTICS

SUB

Ripening period	Nectarlam period
Flowering period	Kinolea-cov period
Flower abundance	High
Yield	High
Tree	Very vigorous

FRUIT

Shape	Round flat
Firmness	Firm
Fruit cracking	No
Color	Red 100%
Size	A-AA
Flavor	Sweet, aromatic, sub-acid



48

//WHITE FLESH NECTARINE

NEW

CHUBBY-cov (BN1118-24)

CPVO patent CHUBBY-cov CEE N° 2024/2534

CHARACTERISTICS

(SUB)

X

Ripening period	Tourmaline® period
Flowering period	Tourmaline® period
Flower abundance	High
Yield	High
Tree	Standard, semi-abierto

FRUIT

Shape	Round
Firmness	Very firm
Fruit cracking	No
Color	Bright red 100%
Size	AA
Flavor	Good, sub-acid



SIDONIA-cov (BN944-4)

CPVO patent SIDONIA-cov CEE N° 2021/2720

CHARACTERISTICS

SUB

Ripening period	Tourmaline® +25 days
Flowering period	Tiffany-cov +5 days
Flower abundance	High
Yield	High
Tree	Medium vigor, semi-open

FRUIT

Shape	Round
Firmness	Very good, good on-tree holding
Fruit cracking	No
Color	Dark red 100%
Size	AA
Flavor	Very good, sub-acid and aromatic



NECTAGOLD CALENDAR

APRIL			MAY					JUNE					JULY					AUGUST					SEPTEMBER				
20	25		5	10	15	20	25	5	10	15	20	25	5	10	15	20	25	5	10	15	20	25	5	10	15	20	25
							DAYTONA-cov					TN379-10															
												TN379-16-cov															

```
//NECTAGOLD
```

49

NEW

DAYTONA-cov (TN379-10)

CPVO patent	DAYTONA-cov CEE N° 2017/2633
CHARACTERISTICS	
Ripening period	Garofa-cov period
Flowering period	Garofa-cov period
Flower abundance	High
Yield	High
Tree	Strong vigor, semi-open

FRUIT	
Shape	Round
Firmness	Very firm
Fruit cracking	No
Color	Yellow with blush
Size	B
Flavor	Very good, balanced, sweet and very aromatic



NEW

BN1004-1-cov

CPVO patent	BN1004-1-cov
CHARACTERISTICS	
Ripening period	Garofa-cov +10 days
Flowering period	Garofa-cov +10 days
Flower abundance	High
Yield	High
Tree	Strong vigor

FRUIT	
Shape	Round
Firmness	Very firm
Fruit cracking	No
Color	Yellow without blush
Size	B-A
Flavor	Balanced, sweet and aromatic



NEW

TN379-6-cov

CPVO patent	TN379-6-cov
CHARACTERISTICS	
Ripening period	Daytona-cov +5 days
Flowering period	Garofa-cov +5 days
Flower abundance	High
Yield	High
Tree	Strong vigor, semi-open

FRUIT	
Shape	Round
Firmness	Very firm
Fruit cracking	No
Color	Yellow with blush
Size	B
Flavor	Very good, balanced, sweet and very aromatic



NEW

BN1002-26-cov

CPVO patent	BN1002-26-cov
CHARACTERISTICS	
Ripening period	Luciana-cov -5 days
Flowering period	Garofa-cov period
Flower abundance	High
Yield	High
Tree	Vigorous, semi-open

FRUIT	
Shape	Round
Firmness	Very firm
Fruit cracking	No
Color	Yellow with little blush
Size	B-A
Flavor	Very good, balanced, sweet and very aromatic



BN1003-5-cov

CPVO patent	BN1003-5-cov
CHARACTERISTICS	
Ripening period	Luciana-cov -5 days
Flowering period	Luciana-cov period
Flower abundance	High
Yield	High
Tree	Strong vigor, semi-open

FRUIT	
Shape	Round
Firmness	Very firm
Fruit cracking	No
Color	Yellow with blush
Size	A
Flavor	Very good, balanced, very sweet and very aromatic



NEW

5889-246-cov

CPVO patent	5889-246-cov
CHARACTERISTICS	
Ripening period	Luciana-cov +5 days
Flowering period	Luciana-cov period
Flower abundance	High
Yield	High
Tree	Strong vigor, semi-open

FRUIT	
Shape	Round
Firmness	Very firm
Fruit cracking	Low
Color	Yellow
Size	A-AA
Flavor	Very good, balanced, sweet and very aromatic



GOLDYGA-cov (BN1002-25)

CPVO patent	GOLDYGA-cov CEE N° 2024/2536
CHARACTERISTICS	
Ripening period	Luciana-cov period
Flowering period	Garofa-cov +5 days
Flower abundance	High
Yield	High
Tree	Strong vigor, semi-open

FRUIT	
Shape	Round
Firmness	Firm
Fruit cracking	No
Color	Yellow with blush
Size	A
Flavor	Very good, balanced, sweet and very aromatic



NEW

BN1002-7-cov

CPVO patent	BN1002-7-cov
CHARACTERISTICS	
Ripening period	Kinolea-cov -10 days
Flowering period	Luciana-cov period
Flower abundance	Medium
Yield	Medium
Tree	Medium-high vigor

FRUIT	
Shape	Round
Firmness	Firm
Fruit cracking	No
Color	Yellow with blush
Size	A
Flavor	Very good, balanced, sweet and very aromatic





BLOOD NECTARINE CALENDAR

APRIL		MAY					JUNE					JULY					AUGUST					SEPTEMBER				
20	25	5	10	15	20	25	5	10	15	20	25	5	10	15	20	25	5	10	15	20	25	5	10	15	20	25

NEW

CN295-1-cov

CPVO patent CN295-1-cov

CHARACTERISTICS

Ripening period Diablotina-cov -40 days
Flowering period Diablotina-cov period
Flower abundance High
Yield High
Tree Strong vigor, semi-open

FRUIT

Shape Oblong
Firmness Firm
Fruit cracking No
Color Bright dark red skin, red flesh
Size A-AA
Flavor Very good, balanced and aromatic



NEW

BN1117-11-cov

CPVO patent BN1117-11-cov

CHARACTERISTICS

Ripening period Diablotina-cov -5 days
Flowering period Diablotina-cov period
Flower abundance High
Yield High
Tree Strong vigor, semi-open

FRUIT

Shape Round
Firmness Firm
Fruit cracking No
Color Bright dark red skin, red flesh
Size A-AA
Flavor Very good, balanced and aromatic



NEW

BN1117-17-cov

CPVO patent BN1117-17-cov

CHARACTERISTICS

Ripening period Diablotina-cov -20 days
Flowering period Diablotina-cov period
Flower abundance High
Yield High
Tree Strong vigor, semi-open

FRUIT

Shape Round
Firmness Firm
Fruit cracking No
Color Bright dark red skin, red flesh
Size A
Flavor Very good, balanced and aromatic



DIABLOTINA-cov (DOR9-1)

CPVO patent DIABLOTINA-cov CEE N° 2017/2640

CHARACTERISTICS

Ripening period Kinolea-cov period
Flowering period Luciana-cov +10 days
Flower abundance High
Yield High
Tree Strong vigor, semi-open

FRUIT

Shape Round
Firmness Firm
Fruit cracking No
Color Bright dark red skin, red flesh
Size A
Flavor Very good, balanced and aromatic



[illegible]

X XANTHOMONAS TOLERANCE **(SUB)** SUB-ACID

YELLOW FLESH

NEW

HONOLULU-cov (CN158-32)

CPVO patent	HONOLULU-cov CEE N° 2024/2258
CHARACTERISTICS (SUB)	
Ripening period	Samantha-cov +5 days
Flowering period	Samantha-cov -20 days
Flower abundance	High
Yield	High
Tree	Strong vigor, semi-open

FRUIT	
Shape	Flat
Firmness	Very firm
Fruit cracking	No
Color	Dark red 100%
Size	A-AA
Flavor	Very good, sweet and sub-acid



YELLOW FLESH

ANAKIN-cov (AC459-25)

CPVO patent	ANAKIN-cov CEE N° 2023/2263
CHARACTERISTICS (SUB)	
Ripening period	Platibelle-cov -10 days
Flowering period	Samantha-cov period
Flower abundance	Very high
Yield	High
Tree	Strong vigor, semi-open

FRUIT	
Shape	Flat
Firmness	Very firm
Fruit cracking	No
Color	Bright red
Size	A-AA
Flavor	Very sweet, aromatic and sub-acid



DOOLY-cov (CN128-16)

CPVO patent	DOOLY-cov CEE N° 2023/2260
CHARACTERISTICS (SUB)	
Ripening period	Samantha-cov +15 days
Flowering period	Samantha-cov -5 days
Flower abundance	High
Yield	High
Tree	Standard vigor, semi-open

FRUIT	
Shape	Flat
Firmness	Very firm
Fruit cracking	No
Color	Bright red 100%
Size	A
Flavor	Very good, sub-acid and aromatic



BACHATA-cov (CN64-1)

CPVO patent	BACHATA-cov CEE N° 2023/2261
CHARACTERISTICS (SUB)	
Ripening period	Platibelle-cov -5 days
Flowering period	Samantha-cov +5 days
Flower abundance	Low
Yield	Medium
Tree	Very strong vigor

FRUIT	
Shape	Flat
Firmness	Very firm
Fruit cracking	No
Color	Bright red
Size	A
Flavor	Very good, sweet and sub-acid



NEW

EP001-9-cov

CPVO patent	EP001-9-cov CEE N°2025/2018
CHARACTERISTICS (SUB)	
Ripening period	Platibelle-cov period
Flowering period	Platibelle-cov period
Flower abundance	High
Yield	High
Tree	Strong vigor, semi-open

FRUIT	
Shape	Flat
Firmness	Very firm
Fruit cracking	No
Color	Bright red 100%
Size	A-AA
Flavor	Very good, sweet and sub-acid




NEW

SOLSTYS-cov (EP13-25)

CPVO patent	SOLSTYS-cov CEE N°2025/2019
CHARACTERISTICS (SUB)	
Ripening period	Sweet Cap® -15 days
Flowering period	Platibelle-cov period
Flower abundance	High
Yield	High
Tree	Strong vigor, semi-upright

FRUIT	
Shape	Flat
Firmness	Very firm
Fruit cracking	No
Color	Bright red 100%
Size	A
Flavor	Very good, sub-acid and aromatic



TINTOSA-cov (CN239-49)

CPVO patent	TINTOSA-cov CEE N° 2020/2680
CHARACTERISTICS (SUB)	
Ripening period	Platibelle-cov +10 days
Flowering period	Platibelle-cov period
Flower abundance	High
Yield	High
Tree	Strong vigor, semi-upright

FRUIT	
Shape	Flat
Firmness	Very firm
Fruit cracking	Very low
Color	Dark red
Size	A-AA
Flavor	Very good, sweet and sub-acid



NEW

EP13-9-cov

CPVO patent	EP13-9-cov
CHARACTERISTICS (SUB)	
Ripening period	Sweet Cap® -5 days
Flowering period	Platibelle-cov period
Flower abundance	High
Yield	High
Tree	Strong vigor, semi-upright

FRUIT	
Shape	Flat
Firmness	Very firm
Fruit cracking	No
Color	Bright red 100%
Size	A-AA
Flavor	Very good, sweet, sub-acid



NEW

DIOSA-cov (BP171-22)

CPVO patent DIOSA-cov CEE N° 2020/2698

CHARACTERISTICS



Ripening period	Sweet Cap® -5 days
Flowering period	Sweet Cap® period
Flower abundance	High
Yield	High
Tree	Strong vigor, semi-upright

FRUIT

Shape	Flat
Firmness	Very firm
Fruit cracking	No
Color	Dark red
Size	A-AA
Flavor	Very good, sweet and sub-acid



YELLOW FLESH

YSATIS-cov (BP171-5)

CPVO patent YSATIS-cov CEE N° 2023/2264

CHARACTERISTICS



Ripening period	Sweet Cap® period
Flowering period	Sweet Cap® period
Flower abundance	Very high
Yield	High
Tree	Strong vigor, semi-open

FRUIT

Shape	Flat
Firmness	Very firm
Fruit cracking	No
Color	Bright red
Size	AA
Flavor	Very sweet, sub-acid



ZENDAYA-cov (DN458-3)

CPVO patent ZENDAYA-cov CEE N° 2024/2539

CHARACTERISTICS



Ripening period	Sweet Cap® period
Flowering period	Samantha-cov period
Flower abundance	High
Yield	High
Tree	Strong vigor, semi-upright

FRUIT

Shape	Flat
Firmness	Very firm
Fruit cracking	No
Color	Bright red 100%
Size	A-AA
Flavor	Very good, sweet and sub-acid



NEW

EP14-19-cov

CPVO patent EP14-19-cov

CHARACTERISTICS



Ripening period	Canoppe-cov -15 days
Flowering period	Canoppe-cov period
Flower abundance	Medium
Yield	High
Tree	Standard vigor, semi-open

FRUIT

Shape	Flat
Firmness	Very firm
Fruit cracking	Low
Color	Intense red 100%
Size	A-AA
Flavor	Sweet, sub-acid and aromatic



//FLAT NECTARINE

NEW

EP001-3-cov

CPVO patent EP001-3-cov

CHARACTERISTICS

Ripening period	Canoppe-cov -5 days
Flowering period	Canoppe-cov period
Flower abundance	Medium
Yield	High
Tree	Vigor normal, semi-erect

FRUIT

Shape	Flat
Firmness	Firm
Fruit cracking	Very low
Color	Dark red
Size	A
Flavor	Very good, sweet and sub-acid



COOKIE-cov (CN592-12)

CPVO patent COOKIE-cov CEE N° 2020/2697

CHARACTERISTICS

Ripening period	Sweet Cap® +45 days
Flowering period	Sweet Cap® period
Flower abundance	High
Yield	High
Tree	Strong vigor, semi-upright

FRUIT

Shape	Round, flat
Firmness	Very firm
Fruit cracking	No
Color	Dark red
Size	A-AA
Flavor	Very good, sweet and sub-acid



//FLAT NECTARINE

CANOPPE-cov (CN591-2)

CPVO patent CANOPPE-cov CEE N° 2020/2692

CHARACTERISTICS



Ripening period	Sweet Cap® +20 days
Flowering period	Sweet Cap® period
Flower abundance	High
Yield	High
Tree	Strong vigor, semi-upright

FRUIT

Shape	Flat
Firmness	Very firm
Fruit cracking	No
Color	Dark red
Size	A-AA
Flavor	Very good, sweet and sub-acid



59

58



PSB Producción Vegetal

Buffat's Genetics

Innovating today, cultivating the future



(+34) 868 08 14 19

comerciales@psbproduccionvegetal.com

www.psbproduccionvegetal.com